



Glass roof system

Murano
Puro



Just
enjoy life!

Lewens
MARKISEN





*Murano Puro
creates additional living space and prolongs the patio season.*

Murano Puro – glass roof

Weather protection for small and medium-sized patios




Flush type (B)

with front-facing posts

*The posts are in line with the gutter
for a compact, modern look.*

*Rainwater is drained via the rafters,
gutter and down the inside of the post.*



- Width max. 700 cm, depth max. 350 cm
- With 2 to 3 posts
[depending on load and type]
- Optional roof pitch: 3° to 10° (stepless)
- Box flush with wall

- Options:
LED lighting,
radiant heater



- Complementary products:
Murano Glissando
(sliding glass panels),
Triangular infill,
Murano Finestra
(permanent glazing)



The essence of outdoor living: the Murano Puro glass roof offers a sturdy, versatile and attractively priced option for extending the living space. The posts are in line with the gutter, maximising the area under cover and turning even small patios into a really comfortable nook. Practical detail: the downpipe is integrated invisibly into the posts.

Decorative: glass joint with trim in frame colour for dividing the glass panes

Pure and simple:
Gutter with flat end cap



Slender rafters
give the Murano Puro an elegant appearance. Rafter spacings up to 120 cm wide permit the use of large glass panes (depending on roof size and load).

Murano Puro

Equipment and technical features



Manufactured and assembled
in Germany
TUV-tested safety
Quality and technology CE-compliant



Flush (B) Type


Styles	B1, B2, B3
– Posts laterally external	B1
– Posts laterally recessed	B2
– with 3rd support	B3
– Reinforcement: Murano Vetro gutter (v)	...v
Dimensions (max.)	
Width, 1 unit (single field)	700 cm
Depth (type B: to inner edge of post; type Ü: to outer edge of gutter)	350 cm
Pitch angle, stepless (at least 5° recommended)	3° - 10°
Rafter spacings (max., depending on type, roof size, load)	120 cm
Post height (max., standard 240 cm)	350 cm
Rainwater drainage	
Downpipe integrated into post	■
Glazing	
for laminated safety glass (LSG, clear) or twin-wall sheets	!
Frame colours	
17 RAL colours + 6 textured finishes (Lewens standard colours)	■
Additional RAL, special colours and effect finishes	□
Options	
Lighting - LED strips, LED spot bar	□
Radiant heater (only wall attachment)	□
Glass joint	□
Additional downpipe	□
Lateral connection profile/various profiles	□
Support frame	□

Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.

■ Standard
□ Option


! Not included in scope of supply

Types and styles




B1 flush, external

B1v as B1, with Murano Vetro gutter



B2 flush, laterally recessed

B2v as B2, with Murano Vetro gutter



B3 as B1, with 3rd support

B3v as B3, with Murano Vetro gutter



www.lewens-markisen.de

Your stockist will be happy to advise you:
